

Connects to Your World

Optimized weighing from start to finish



Application software and flexible connectivity to customize your solution

- Application packages for manual formulation, counting, totalizing ... and much more
- Connects weight and transaction data to common databases for easy analysis
- Flexible connectivity options include Wireless Ethernet and Bluetooth
- Large bright display eases operator interaction

Weigh

Connect up to 4 scales simultaneously with a sum scale. Scale types include standard analog load cell, high precision scale bases, high precision analytical balances, and even BBK 4xx series scales.

- Mix and match the scale types to your needs.
- The large bright display provides the operator with easy to see information, even at a distance and under low light conditions.
- Multiple message lines and graphical data create efficiency in your operation.

Contro

Years of experience went into creating proven application software for powerful weighing solutions.

- Optimize your application software without programming to suit your requirements.
- Connect the IND690 to your office PC and remotely control the terminal.

Comply

The stainless steel enclosure of the IND690 is designed for use in harsh environments.

- Complies with NSF and EHEDG regulations for the food industry.
- Complies with GMP regulations for the chemical and pharmaceutical industries.
- IP69K enclosure is resistant to high-pressure and steam jet cleaning.

Connect

Put an IND690 in your harsh environment and connect it back to your PC sitting safely in your office.

- Integrates seamlessly to your existing networks with flexible connectivity options to get data to your PC where it's needed.
- Connect to barcode scanners or RFID readers to reduce data entry mistakes.





Wireless





Solutions are available for:

- Manual Formulation
- Data Communication
- Batching
- Filling
- Check Weighing
- Classifying
- Counting
- Totalizing

Power behind the Application Software

The IND690 has the needed memory to store data and processing speed for advanced weighing functions to make your job easier.

Fits your needs

Available in two stainless steel enclosure styles: A desktop enclosure that can also be mounted on the wall and a panel mount version for integration into a machine or electrical enclosure.

Connectivity to Peripherals and Networks

- RFID
- **■** Barcode Readers
- Bluetooth®
- Wireless 802.11b
- USB
- **■** Ethernet
- Serial (RS232/422/485)
- CL20mA
- Analog Output
- Digital I/O Output
- Profibus®

Configuration and Backup Via PC

A PC-based software program, IND Terminal Manager, saves you time when creating ticket layouts and performing configuration backup/restore.






















Flexible Platform, Focused Solution

Connect up to four scales. Mix and match scale types to your needs.



Reduce entry errors using bar code scanners and RFID readers. Print labels using the GA46 Printer.



Mettler-Toledo, Inc.

1900 Polaris Parkway, Columbus, OH 43240 Tel. (800) 786-0038 / (614) 438-4511 Fax (614) 438 4900

Mettler-Toledo AG

Industrial CH-8606 Greifensee Switzerland Tel. +41 44 944 2211 Fax. +41 44 944 3060

METTLER TOLEDO® is a registered trademark of Mettler-Toledo Inc. All other brand or product names are trademarks of their respective companies.

Subject to technical changes © 2006 Mettler-Toledo Inc.

IN03448.0E

www.mt.com

Visit for more information



Quality certification. Development, production, and auditing in accordance with ISO9001. Environmental management system in accordance with ISO14001.



Tailored Services. Our extensive service network is among the best in the world and ensures maximum availability and service life of your product.



Conformité Européene

This label is your guarantee that our products conform to the latest guidelines.