# **For Your Essential Needs**

# Worry-Free Weighing



#### **Intuitive Touch Operation**

The unit's bright 4.5" color TFT touchscreen with clear icons and intuitive guidance enables users to operate it quickly—even while wearing cloth or rubber gloves. Multilingual text and graphics walk you through every step of your weighing procedures.



#### **Accuracy Ensured**

An Electromagnetic Force Compensation (EMFC) weighing cell with FACT technology automatically adjusts the balance whenever there is a change in ambient temperature, ensuring your results remain accurate and reliable. Built-in overload protection helps to ensure long balance life.



#### Easy to Use

Ten embedded applications including checkweighing, totaling and formulation allow operators to start working right away. Sample IDs and passcode protection make sure settings are not changed by unauthorized personnel.



### Easy Data Handling

Multiple interfaces support barcode reader, printer and PC connections for easy traceability and data handling. USB and RS232 connectivity along with an optional Bluetooth adapter simplify data upload and transfer.



## **ME-T Precision Balances**

Essential Functionality, Solid Performance

Whether you work on a factory floor or in a lab, you need a balance that combines essential weighing functions with ease of use to deliver accurate and reliable results day after day.

METTLER TOLEDO'S ME-T precision balances are ideal for routine weighing procedures. An intuitive touchscreen makes daily tasks as simple as possible while built-in features give operators everything they need to weigh with the accuracy, repeatability and traceability required.

The metal base housing and a high quality finish make ME-T robust enough for tough environments, while smooth surfaces make it easy to maintain and clean. This versatile scale is built to perform—and last!



Technical Specifications	ME103T	ME203T	ME303T	ME403T	ME503T	ME603T	ME1002T	ME2002T	ME3002T	ME4002T	ME5002T	ME6002T	ME4001T
Limit Values													
Capacity	120 g	220 g	320 g	420 g	520 g	620 g	1,200 g	2,200 g	3,200 g	4,200 g	5,200 g	6,200 g	4,200 g
Nominal load	100 g	200 g	300 g	400 g	500 g	600 g	1,000 g	2,000 g	3,000 g	4,000 g	5,000 g	6,000 g	4,000 g
Readability	1 mg	10 mg	10 mg	10 mg	10 mg	10 mg	10 mg	100 mg					
Repeatability (at 5% load)	1 mg	10 mg	10 mg	10 mg	10 mg	10 mg	10 mg	100 mg					
Linearity deviation	2 mg	20 mg	20 mg	20 mg	20 mg	20 mg	20 mg	200 mg					
Typical Values										,			
Repeatability (at 5% load)	0.7 mg	7 mg	7 mg	7 mg	7 mg	7 mg	7 mg	70 mg					
Linearity deviation	0.6 mg	6 mg	6 mg	6 mg	6 mg	6 mg	6 mg	70 mg					
Sensitivity offset (at nominal load) <sup>1)</sup>	2 mg	2 mg	2 mg	3.5 mg	3.5 mg	5 mg	20 mg	20 mg	20 mg	20 mg	20 mg	50 mg	240 mg
Minimum weight (USP, tolerance = 0.10%) <sup>2)</sup>	1.4 g	14 g	14 g	14 g	14 g	14 g	14 g	140 g					
Minimum weight (tolerance = 1%)	140 mg	1.4 g	14 g										
Settling time	1.5 s	1 s											
Dimensions													
Weighing pan (mm)	Ø 120	180×180	180×180	180×180	180×180	180×180	180×180	180×180					
Balance size, W×D×H (mm)	210×319 ×289	210×319 ×289	210×319 ×289	210×319 ×289	210×319 ×289	210×319 ×289	200×319 ×100						

All models are available as Legal for Trade versions. Models without internal test weights are also available (ExCal).

# **Features**

Accurate Results	Electromagnetic Force Compensation (EMFC)						
	FACT automatic internal adjustment						
	Metal base						
	OIML/NTEP approved						
Efficient Operation	Bright 4.5" color TFT touchscreen						
	10 built-in applications						
	Front level indicator						
	Statistical data analysis						
	Overload protection						
Quality	Input of up to 4 sample IDs						
	Passcode protection						
	15 available languages						
Connectivity	3 interfaces: USB device, USB host, RS232						
	Bluetooth option						
	Built-in PC direct function for easy data transfer						







METTLER TOLEDO balances can be customized with accessories and peripheral devices to meet the needs of virtually any application. Our carefully designed accessories make your work easier, convenient and help increase efficiency.

For further information on accessories, please visit <a href="https://www.mt.com/lab-accessories">www.mt.com/lab-accessories</a>

**METTLER TOLEDO Group** 

Laboratory Weighing Local contact: www.mt.com/contacts www.mt.com/met-precision \_

For more information

Subject to technical changes
© 09/2021 METTLER TOLEDO. All rights reserved
30272255D
Group MarCom RITM672608 AG/IK

<sup>1)</sup> after adjustment with internal weight

 $<sup>^{2)}</sup>$  determined at 5% load, k = 2